


SVS

T-stuk 45° - spuitstuk

Diameters 80 - 800

Rubberen afdichting



Leverbare afmetingen

| artikelnummer | naam | d1 (mm) | d3 (mm) | l (mm) | l1 (mm) | l2 (mm) | l3 (mm) | lp1 (mm) | lp3 (mm) | gewicht (kg) |
|---------------|-------------|---------|---------|--------|---------|---------|---------|----------|----------|--------------|
| 5050001135 | SVS 80 80 | 80 | 80 | 250 | 165 | 85 | 165 | 48 | 48 | 0,70 |
| 5050000998 | SVS 100 80 | 100 | 80 | 241 | 171 | 70 | 180 | 48 | 48 | 0,80 |
| 5050000511 | SVS 100 100 | 100 | 100 | 250 | 175 | 75 | 171 | 35 | 35 | 0,60 |
| 5050000999 | SVS 125 80 | 125 | 80 | 250 | 200 | 50 | 200 | 48 | 48 | 0,90 |
| 5050000512 | SVS 125 100 | 125 | 100 | 280 | 210 | 70 | 210 | 48 | 48 | 1,10 |
| 5050000513 | SVS 125 125 | 125 | 125 | 280 | 204 | 76 | 201 | 35 | 35 | 0,90 |
| 5050001003 | SVS 150 80 | 150 | 80 | 280 | 215 | 65 | 215 | 48 | 48 | 1,10 |
| 5050001000 | SVS 150 100 | 150 | 100 | 305 | 225 | 80 | 225 | 48 | 48 | 1,30 |
| 5050001001 | SVS 150 125 | 150 | 125 | 340 | 240 | 100 | 240 | 48 | 48 | 1,50 |
| 5050001002 | SVS 150 150 | 150 | 150 | 315 | 235 | 80 | 265 | 35 | 35 | 1,20 |
| 5050001006 | SVS 160 80 | 160 | 80 | 280 | 220 | 60 | 220 | 48 | 48 | 1,10 |
| 5050001004 | SVS 160 100 | 160 | 100 | 305 | 230 | 75 | 230 | 48 | 48 | 1,30 |
| 5050000514 | SVS 160 125 | 160 | 125 | 340 | 245 | 95 | 245 | 48 | 48 | 1,50 |
| 5050001005 | SVS 160 150 | 160 | 150 | 380 | 270 | 110 | 270 | 48 | 48 | 1,80 |
| 5050000515 | SVS 160 160 | 160 | 160 | 326 | 242 | 83 | 242 | 35 | 35 | 1,40 |
| 5050000516 | SVS 180 80 | 180 | 80 | 280 | 235 | 55 | 235 | 48 | 48 | 1,20 |
| 5050001007 | SVS 180 100 | 180 | 100 | 305 | 245 | 60 | 245 | 48 | 48 | 1,40 |
| 5050001008 | SVS 180 125 | 180 | 125 | 340 | 260 | 80 | 260 | 48 | 48 | 1,60 |
| 5050001009 | SVS 180 150 | 180 | 150 | 380 | 285 | 95 | 285 | 48 | 48 | 2,00 |
| 5050000517 | SVS 180 160 | 180 | 160 | 390 | 290 | 100 | 290 | 48 | 48 | 2,10 |
| 5050001010 | SVS 180 180 | 180 | 180 | 420 | 300 | 120 | 300 | 48 | 48 | 2,30 |
| 5050001013 | SVS 200 80 | 200 | 80 | 280 | 250 | 30 | 250 | 48 | 48 | 1,30 |
| 5050000518 | SVS 200 100 | 200 | 100 | 305 | 260 | 45 | 260 | 48 | 48 | 1,50 |
| 5050000519 | SVS 200 125 | 200 | 125 | 340 | 270 | 70 | 270 | 48 | 48 | 1,80 |
| 5050001011 | SVS 200 150 | 200 | 150 | 380 | 300 | 80 | 300 | 48 | 48 | 2,10 |
| 5050000520 | SVS 200 160 | 200 | 160 | 390 | 305 | 85 | 305 | 48 | 48 | 2,20 |
| 5050001012 | SVS 200 180 | 200 | 180 | 420 | 315 | 105 | 315 | 48 | 48 | 2,50 |
| 5050000521 | SVS 200 200 | 200 | 200 | 383 | 290 | 93 | 290 | 48 | 48 | 1,90 |
| 5050001019 | SVS 224 80 | 224 | 80 | 305 | 275 | 30 | 275 | 58 | 48 | 1,50 |
| 5050001014 | SVS 224 100 | 224 | 100 | 305 | 275 | 30 | 275 | 58 | 48 | 1,70 |
| 5050001015 | SVS 224 125 | 224 | 125 | 340 | 290 | 50 | 290 | 58 | 48 | 1,90 |
| 5050001016 | SVS 224 150 | 224 | 150 | 380 | 315 | 65 | 315 | 58 | 48 | 2,30 |
| 5050000522 | SVS 224 160 | 224 | 160 | 390 | 320 | 70 | 320 | 58 | 48 | 2,40 |
| 5050000523 | SVS 224 180 | 224 | 180 | 420 | 330 | 90 | 330 | 58 | 48 | 2,70 |
| 5050001017 | SVS 224 200 | 224 | 200 | 450 | 340 | 110 | 340 | 58 | 48 | 3,00 |
| 5050001018 | SVS 224 224 | 224 | 224 | 480 | 350 | 130 | 350 | 58 | 58 | 3,20 |
| 5050001022 | SVS 250 80 | 250 | 80 | 305 | 295 | 10 | 295 | 58 | 48 | 1,80 |
| 5050001020 | SVS 250 100 | 250 | 100 | 305 | 295 | 10 | 295 | 58 | 48 | 2,10 |

Leverbare afmetingen

| artikelnummer | naam | d1 (mm) | d3 (mm) | l (mm) | l1 (mm) | l2 (mm) | l3 (mm) | lp1 (mm) | lp3 (mm) | gewicht (kg) |
|---------------|-------------|------------|---------|--------|---------|---------|---------|----------|----------|--------------|
| 5050000524 | SVS 250 125 | 250 | 125 | 340 | 310 | 30 | 310 | 58 | 48 | 2,30 |
| 5050000525 | SVS 250 150 | 250 | 150 | 380 | 335 | 45 | 335 | 58 | 48 | 2,80 |
| 5050000526 | SVS 250 160 | 250 | 160 | 390 | 340 | 50 | 340 | 58 | 48 | 2,80 |
| 5050001021 | SVS 250 180 | 250 | 180 | 420 | 350 | 70 | 350 | 58 | 48 | 3,00 |
| 5050000527 | SVS 250 200 | 250 | 200 | 450 | 360 | 90 | 360 | 58 | 48 | 3,40 |
| 5050000528 | SVS 250 224 | 250 | 224 | 480 | 370 | 110 | 370 | 58 | 58 | 3,60 |
| 5050000529 | SVS 250 250 | 250 | 250 | 454 | 202 | 152 | 350 | 58 | 58 | 2,80 |
| 5050001023 | SVS 280 100 | 280 | 100 | 340 | 315 | 25 | 330 | 58 | 48 | 2,40 |
| 5050000530 | SVS 280 125 | 280 | 125 | 370 | 330 | 40 | 330 | 58 | 48 | 2,70 |
| 5050001024 | SVS 280 150 | 280 | 150 | 380 | 343 | 38 | 355 | 58 | 48 | 3,00 |
| 5050001025 | SVS 280 160 | 280 | 160 | 390 | 345 | 45 | 360 | 58 | 48 | 3,10 |
| 5050001026 | SVS 280 180 | 280 | 180 | 445 | 370 | 75 | 370 | 58 | 48 | 3,40 |
| 5050001027 | SVS 280 200 | 280 | 200 | 475 | 380 | 95 | 380 | 58 | 48 | 3,80 |
| 5050001028 | SVS 280 224 | 280 | 224 | 510 | 390 | 120 | 390 | 58 | 58 | 4,00 |
| 5050001029 | SVS 280 250 | 280 | 250 | 545 | 405 | 140 | 405 | 58 | 58 | 4,50 |
| 5050001030 | SVS 280 280 | 280 | 280 | 590 | 435 | 155 | 435 | 58 | 58 | 5,10 |
| 5050001032 | SVS 300 100 | 300 | 100 | 370 | 350 | 20 | 350 | 58 | 48 | 2,80 |
| 5050001033 | SVS 300 125 | 300 | 125 | 370 | 350 | 20 | 350 | 58 | 48 | 3,10 |
| 5050001034 | SVS 300 150 | 300 | 150 | 380 | 358 | 23 | 370 | 58 | 48 | 3,60 |
| 5050001035 | SVS 300 160 | 300 | 160 | 390 | 360 | 30 | 375 | 58 | 48 | 3,70 |
| 5050001036 | SVS 300 180 | 300 | 180 | 445 | 385 | 60 | 385 | 58 | 48 | 4,00 |
| 5050001037 | SVS 300 200 | 300 | 200 | 475 | 395 | 80 | 395 | 58 | 48 | 4,40 |
| 5050001038 | SVS 300 224 | 300 | 224 | 510 | 405 | 105 | 405 | 58 | 58 | 4,70 |
| 5050001039 | SVS 300 250 | 300 | 250 | 545 | 420 | 125 | 420 | 58 | 58 | 5,20 |
| 5050001040 | SVS 300 280 | 300 | 280 | 590 | 450 | 140 | 450 | 58 | 58 | 5,90 |
| 5050001041 | SVS 300 300 | 300 | 300 | 615 | 460 | 155 | 460 | 58 | 58 | 6,70 |
| 5050001043 | SVS 315 100 | 315 | 100 | 280 | 260 | 20 | 343 | 58 | 48 | 3,50 |
| 5050001044 | SVS 315 125 | 315 | 125 | 340 | 310 | 30 | 360 | 58 | 48 | 3,60 |
| 5050001045 | SVS 315 150 | 315 | 150 | 380 | 348 | 32 | 380 | 58 | 48 | 4,00 |
| 5050000531 | SVS 315 160 | 315 | 160 | 395 | 365 | 30 | 385 | 58 | 48 | 4,10 |
| 5050000532 | SVS 315 180 | 315 | 180 | 445 | 390 | 55 | 395 | 58 | 48 | 4,40 |
| 5050000533 | SVS 315 200 | 315 | 200 | 475 | 405 | 70 | 405 | 58 | 48 | 4,90 |
| 5050001046 | SVS 315 224 | 315 | 224 | 510 | 415 | 95 | 415 | 58 | 58 | 5,20 |
| 5050000534 | SVS 315 250 | 315 | 250 | 545 | 430 | 115 | 430 | 58 | 58 | 5,80 |
| 5050001047 | SVS 315 280 | 315 | 280 | 590 | 460 | 130 | 460 | 58 | 58 | 6,50 |
| 5050001048 | SVS 315 300 | 315 | 300 | 615 | 470 | 145 | 470 | 58 | 58 | 7,00 |
| 5050000535 | SVS 315 315 | 315 | 315 | 640 | 480 | 160 | 480 | 58 | 58 | 7,30 |
| 5050001051 | SVS 355 125 | 355 | 125 | 340 | 320 | 20 | 388 | 58 | 48 | 5,90 |
| 5050001052 | SVS 355 150 | 355 | 150 | 380 | 360 | 20 | 410 | 58 | 48 | 4,40 |
| 5050001053 | SVS 355 160 | 355 | 160 | 395 | 375 | 20 | 415 | 58 | 48 | 4,50 |
| 5050001054 | SVS 355 180 | 355 | 180 | 445 | 425 | 20 | 425 | 58 | 48 | 4,80 |
| 5050000536 | SVS 355 200 | 355 | 200 | 475 | 435 | 40 | 435 | 58 | 48 | 5,40 |
| 5050001055 | SVS 355 224 | 355 | 224 | 510 | 445 | 65 | 445 | 58 | 58 | 5,60 |
| 5050000537 | SVS 355 250 | 355 | 250 | 545 | 460 | 85 | 460 | 58 | 58 | 6,30 |
| 5050001056 | SVS 355 280 | 355 | 280 | 590 | 490 | 100 | 490 | 58 | 58 | 7,10 |
| 5050001057 | SVS 355 300 | 355 | 300 | 615 | 500 | 115 | 500 | 58 | 58 | 7,50 |
| 5050000538 | SVS 355 315 | 355 | 315 | 640 | 505 | 145 | 505 | 58 | 58 | 7,80 |
| 5050001058 | SVS 355 355 | 355 | 355 | 695 | 525 | 170 | 525 | 58 | 58 | 8,80 |
| 5050001060 | SVS 400 125 | 400 | 125 | 340 | 320 | 20 | 420 | 58 | 48 | 6,10 |
| 5050001061 | SVS 400 150 | 400 | 150 | 460 | 440 | 20 | 460 | 58 | 48 | 5,10 |

Leverbare afmetingen

| artikelnummer | naam | d1 (mm) | d3 (mm) | l (mm) | l1 (mm) | l2 (mm) | l3 (mm) | lp1 (mm) | lp3 (mm) | gewicht (kg) |
|---------------|-------------|---------|---------|--------|---------|---------|---------|----------|----------|--------------|
| 5050001062 | SVS 400 160 | 400 | 160 | 395 | 375 | 20 | 445 | 58 | 48 | 5,30 |
| 5050001063 | SVS 400 180 | 400 | 180 | 445 | 425 | 20 | 455 | 58 | 48 | 5,60 |
| 5050001064 | SVS 400 200 | 400 | 200 | 475 | 455 | 20 | 465 | 58 | 48 | 6,20 |
| 5050001065 | SVS 400 224 | 400 | 224 | 510 | 475 | 35 | 475 | 58 | 58 | 6,50 |
| 5050000539 | SVS 400 250 | 400 | 250 | 545 | 490 | 55 | 490 | 58 | 58 | 7,10 |
| 5050001066 | SVS 400 280 | 400 | 280 | 590 | 520 | 70 | 520 | 58 | 58 | 8,00 |
| 5050001067 | SVS 400 300 | 400 | 300 | 615 | 530 | 85 | 530 | 58 | 58 | 8,50 |
| 5050001068 | SVS 400 315 | 400 | 315 | 640 | 535 | 105 | 535 | 58 | 58 | 8,80 |
| 5050001069 | SVS 400 355 | 400 | 355 | 695 | 555 | 140 | 555 | 58 | 58 | 9,80 |
| 5050001070 | SVS 400 400 | 400 | 400 | 760 | 580 | 180 | 580 | 58 | 58 | 11,20 |
| 5050001073 | SVS 450 150 | 450 | 150 | 445 | 425 | 20 | 435 | 58 | 48 | 5,50 |
| 5050001074 | SVS 450 160 | 450 | 160 | 445 | 425 | 20 | 435 | 58 | 48 | 5,90 |
| 5050001075 | SVS 450 180 | 450 | 180 | 445 | 425 | 20 | 490 | 58 | 48 | 6,30 |
| 5050001076 | SVS 450 200 | 450 | 200 | 475 | 455 | 20 | 535 | 58 | 48 | 6,90 |
| 5050001077 | SVS 450 224 | 450 | 224 | 510 | 485 | 25 | 510 | 58 | 58 | 7,20 |
| 5050001078 | SVS 450 250 | 450 | 250 | 545 | 525 | 20 | 525 | 58 | 58 | 7,90 |
| 5050001079 | SVS 450 280 | 450 | 280 | 590 | 555 | 35 | 555 | 58 | 58 | 8,70 |
| 5050001080 | SVS 450 300 | 450 | 300 | 615 | 565 | 50 | 565 | 58 | 58 | 9,20 |
| 5050001081 | SVS 450 315 | 450 | 315 | 640 | 570 | 70 | 570 | 58 | 58 | 9,60 |
| 5050001082 | SVS 450 355 | 450 | 355 | 695 | 590 | 105 | 590 | 58 | 58 | 10,60 |
| 5050001083 | SVS 450 400 | 450 | 400 | 760 | 615 | 145 | 615 | 58 | 58 | 12,10 |
| 5050001084 | SVS 450 450 | 450 | 450 | 830 | 640 | 190 | 640 | 58 | 58 | 13,50 |
| 5050001088 | SVS 500 160 | 500 | 160 | 590 | 560 | 30 | 560 | 54 | 48 | 6,80 |
| 5050001089 | SVS 500 180 | 500 | 180 | 590 | 560 | 30 | 560 | 54 | 48 | 7,20 |
| 5050001090 | SVS 500 200 | 500 | 200 | 475 | 445 | 30 | 535 | 54 | 48 | 7,50 |
| 5050001091 | SVS 500 224 | 500 | 224 | 510 | 480 | 30 | 550 | 54 | 58 | 7,80 |
| 5050000540 | SVS 500 250 | 500 | 250 | 545 | 415 | 30 | 560 | 54 | 58 | 8,60 |
| 5050001092 | SVS 500 280 | 500 | 280 | 590 | 560 | 30 | 560 | 54 | 58 | 9,50 |
| 5050001093 | SVS 500 300 | 500 | 300 | 615 | 600 | 15 | 600 | 54 | 58 | 10,00 |
| 5050001094 | SVS 500 315 | 500 | 315 | 640 | 610 | 30 | 610 | 54 | 58 | 10,40 |
| 5050001095 | SVS 500 355 | 500 | 355 | 695 | 630 | 65 | 630 | 54 | 58 | 11,50 |
| 5050000541 | SVS 500 400 | 500 | 400 | 760 | 650 | 110 | 650 | 54 | 58 | 13,00 |
| 5050001096 | SVS 500 450 | 500 | 450 | 830 | 675 | 155 | 675 | 54 | 58 | 14,50 |
| 5050001097 | SVS 500 500 | 500 | 500 | 900 | 700 | 200 | 700 | 54 | 54 | 16,10 |
| 5050001102 | SVS 560 224 | 560 | 224 | 510 | 490 | 20 | 590 | 54 | 58 | 9,20 |
| 5050001103 | SVS 560 250 | 560 | 250 | 600 | 585 | 15 | 605 | 54 | 58 | 10,00 |
| 5050001104 | SVS 560 280 | 560 | 280 | 640 | 620 | 20 | 630 | 54 | 58 | 10,80 |
| 5050001105 | SVS 560 300 | 560 | 300 | 665 | 640 | 25 | 640 | 54 | 58 | 11,40 |
| 5050001106 | SVS 560 315 | 560 | 315 | 690 | 650 | 40 | 650 | 54 | 58 | 11,80 |
| 5050001107 | SVS 560 355 | 560 | 355 | 750 | 670 | 80 | 670 | 54 | 58 | 13,00 |
| 5050000542 | SVS 560 400 | 560 | 400 | 810 | 690 | 120 | 690 | 54 | 58 | 14,50 |
| 5050001108 | SVS 560 450 | 560 | 450 | 880 | 715 | 165 | 715 | 54 | 58 | 16,10 |
| 5050001109 | SVS 560 500 | 560 | 500 | 950 | 740 | 210 | 740 | 54 | 54 | 17,80 |
| 5050001110 | SVS 560 560 | 560 | 560 | 1040 | 800 | 240 | 800 | 54 | 54 | 20,40 |
| 5050001119 | SVS 630 315 | 630 | 315 | 690 | 650 | 40 | 700 | 54 | 58 | 15,10 |
| 5050001120 | SVS 630 355 | 630 | 355 | 750 | 720 | 30 | 720 | 54 | 58 | 16,80 |
| 5050001121 | SVS 630 400 | 630 | 400 | 810 | 740 | 70 | 740 | 54 | 58 | 18,70 |
| 5050001122 | SVS 630 450 | 630 | 450 | 880 | 765 | 115 | 765 | 54 | 58 | 20,60 |
| 5050001123 | SVS 630 500 | 630 | 500 | 950 | 790 | 160 | 790 | 54 | 54 | 22,70 |
| 5050001124 | SVS 630 560 | 630 | 560 | 1040 | 850 | 190 | 850 | 54 | 54 | 25,80 |

Leverbare afmetingen

| artikelnummer | naam | d1 (mm) | d3 (mm) | l (mm) | l1 (mm) | l2 (mm) | l3 (mm) | lp1 (mm) | lp3 (mm) | gewicht (kg) |
|---------------|-------------|------------|---------|--------|---------|---------|---------|----------|----------|--------------|
| 5050001125 | SVS 630 630 | 630 | 630 | 1140 | 885 | 255 | 885 | 54 | 54 | 29,20 |
| 5050001127 | SVS 710 315 | 710 | 315 | 670 | 472 | 198 | 555 | 54 | 58 | 17,01 |
| 5050001128 | SVS 710 355 | 710 | 355 | 730 | 487 | 243 | 557 | 54 | 58 | 18,93 |
| 5050001129 | SVS 710 400 | 710 | 400 | 790 | 525 | 265 | 559 | 54 | 58 | 21,07 |
| 5050001130 | SVS 710 450 | 710 | 450 | 860 | 570 | 290 | 562 | 54 | 58 | 23,21 |
| 5050001131 | SVS 710 500 | 710 | 500 | 930 | 615 | 315 | 564 | 54 | 54 | 25,58 |
| 5050001132 | SVS 710 560 | 710 | 560 | 1020 | 675 | 345 | 567 | 54 | 54 | 29,07 |
| 5050001133 | SVS 710 630 | 710 | 630 | 1120 | 740 | 380 | 571 | 54 | 54 | 32,90 |
| 5050001134 | SVS 710 710 | 710 | 710 | 1230 | 810 | 420 | 575 | 54 | 54 | 37,21 |
| 5050001136 | SVS 800 315 | 800 | 315 | 670 | 472 | 198 | 619 | 54 | 58 | 19,17 |
| 5050001137 | SVS 800 355 | 800 | 355 | 730 | 487 | 243 | 621 | 54 | 58 | 21,33 |
| 5050001138 | SVS 800 400 | 800 | 400 | 790 | 525 | 265 | 623 | 54 | 58 | 23,74 |
| 5050001139 | SVS 800 450 | 800 | 450 | 860 | 570 | 290 | 626 | 54 | 58 | 26,15 |
| 5050001140 | SVS 800 500 | 800 | 500 | 930 | 615 | 315 | 628 | 54 | 54 | 28,82 |
| 5050001141 | SVS 800 560 | 800 | 560 | 1020 | 675 | 345 | 631 | 54 | 54 | 32,76 |
| 5050001142 | SVS 800 630 | 800 | 630 | 1120 | 740 | 380 | 635 | 54 | 54 | 37,07 |
| 5050001143 | SVS 800 710 | 800 | 710 | 1230 | 810 | 420 | 639 | 54 | 54 | 41,93 |
| 5050001144 | SVS 800 800 | 800 | 800 | 1360 | 895 | 465 | 643 | 54 | 54 | 42,12 |

Vetgedrukte doorsnedes zijn Eurovent/Luka norm.