


EXCELLENS™ WALL COVER

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- EXTERNAL DOMING TO FACILITATE THE CURVE OF PIPES
- EXTERNAL HOLE COVER CROWN
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOPLINE** IVORY RAL 9002
- NEW LINE** WHITE RAL 9010
- ECO LINE** PEARL GREY RAL 9003
- BROWN LINE** BROWN RAL 8017
- BLACK LINE** BLACK RAL 9005



MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TM 60-EXC	5 PC.	66	56	165	96	68	11124160	N11124160	E11124160	-	-
TM 72-EXC	5 PC.	78	68	185	108	78	11124172	N11124172	E11124172	SCD100010	SCD100055
TM 100-EXC	3 PC.	104	78	220	137	92	11124110	N11124110	E11124110	SCD100011	SCD100056


NEW

NEW

EXCELLENS TA CORNER CAP

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- EXTERNAL HOLE COVER CROWN
- INCLINED PLANE TO FACILITATE THE PASSAGE OF PIPES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE** IVORY RAL 9002
- NEW LINE** WHITE RAL 9010
- ECO LINE** PEARL GREY RAL 9003
- BROWN LINE** BROWN RAL 8017
- BLACK LINE** BLACK RAL 9005



MADE IN ITALY

smart clima



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TA 60-EXC	5 PC.	66	56	113	110	60	11122110	N11122110	E11122110	-	-
TA 72-EXC	5 PC.	78	68	125	114	72	11122120	N11122120	E11122120	SCD100013	SCD100058
TA 100-EXC	3 PC.	104	78	155	121	83	11122130	N11122130	E11122130	SCD100014	SCD100059

NEW


NEW

EXCELLENS CP FLAT ELBOW

MADE IN ITALY

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
CP 60 - EXC	5 PC.	66	56	101	11120160	N11120160	E11120160	-	-
CP 72 - EXC	5 PC.	78	68	118	11120172	N11120172	E11120172	SCD100016	SCD100061
CP 100 - EXC	3 PC.	104	77	152	11120100	N11120100	E11120100	SCD100017	SCD100062

NEW


NEW

EXCELLENS CPS ARTICULATED FLAT ELBOW

MADE IN ITALY

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS, ADJUSTABLE FROM 90° TO 135°
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
	A	B	C	CODE	CODE	CODE	CODE	CODE
CPS 60 - EXC	66	56	110	11121111	N11121111	E11121111	-	-
CPS 72 - EXC	78	68	130	11121110	N11121110	E11121110	SCD100019	SCD100064


NEW

NEW

EXCELLENS CA ANGLE ELBOW

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY
RAL 9002
- NEW LINE  WHITE
RAL 9010
- ECO LINE  PEARL GREY
RAL 9003
- BROWN LINE  BROWN
RAL 8017
- BLACK LINE  BLACK
RAL 9005

 MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
CA 60 - EXC	5 PC.	66	56	84	11120260	N11120260	E11120260	-	-
CA 72 - EXC	5 PC.	78	68	98	11120272	N11120272	E11120272	SCD100021	SCD100066
CA 100 - EXC	3 PC.	104	78	113	11120210	N11120210	E11120210	SCD100022	SCD100067


NEW

NEW

EXCELLENS CAS ARTICULATED ANGLE ELBOW

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE CURVATURE RADIUS, ADJUSTABLE FROM 90° TO 135°
- UNIVERSAL FOR INTERNAL OR EXTERNAL CURVES
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY
RAL 9002
- NEW LINE  WHITE
RAL 9010
- ECO LINE  PEARL GREY
RAL 9003
- BROWN LINE  BROWN
RAL 8017
- BLACK LINE  BLACK
RAL 9005

 MADE IN ITALY



MODEL	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
	A	B	C	CODE	CODE	CODE	CODE	CODE
CAS 60 - EXC	66	56	104	11123111	N11123111	E11123111	-	-
CAS 72 - EXC	78	68	120	11123110	N11123110	E11123110	SCD100024	SCD100069


NEW

NEW

EXCELLENS MG COUPLING

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005

 MADE IN ITALY



MODEL	MIN. Q.	DIMENSIONS (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
MG 60 - EXC	5 PC.	66	56	50	11121060	N11121060	E11121060	-	-
MG 72 - EXC	5 PC.	78	68	50	11121072	N11121072	E11121072	SCD100026	SCD100071
MG 100 - EXC	3 PC.	104	77	50	11121100	N11121100	E11121100	SCD100027	SCD100072


NEW

NEW

EXCELLENS TC END CAP

TECHNICAL FEATURES

- ECO-FRIENDLY SHOCK AND UVA-RESISTANT PVC
- TRUNKING PROFILE LOCATING RIDGE
- SHRINK-WRAPPED WITH BARCODE
- USED TO CAP DUCTS



- TOP LINE  IVORY RAL 9002
- NEW LINE  WHITE RAL 9010
- ECO LINE  PEARL GREY RAL 9003
- BROWN LINE  BROWN RAL 8017
- BLACK LINE  BLACK RAL 9005

 MADE IN ITALY



MODEL	MIN. PACK	DIMENSIONI (mm)			TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	CODE	CODE	CODE	CODE	CODE
TC 60 - EXC	5 PCS	66	56	66	N.D.	N11122170	E11122170		
TC 72 - EXC	5 PCS	78	68	78	11122180	N11122180	E11122180	SCD100038	SCD100083
TC 100 - EXC	3 PCS	104	78	104	11122190	N11122190	E11122190	SCD100039	SCD100084

NEW


NEW

EXCELLENS RM WALL ROSETTE

MADE IN ITALY

TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- EXTERNAL COVER CROWN
- HEAT-SHRINK PACKAGING WITH BAR CODE
- MADE WITH 2 LOCKING PIECES
- ALLOWS THE PASSAGE OF THE PIPES THROUGH WALLS WITH AN EXCELLENT AESTHETIC RESULT



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)				TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	CODE	CODE	CODE	CODE	CODE
RM 60 - EXC	5 PC.	66	56	105	97	11122060	N11122060	E11122060	-	-
RM 72 - EXC	5 PC.	78	68	120	112	11122072	N11122072	E11122072	SCD100032	SCD100077
RM 100 - EXC	3 PC.	104	78	167	143	11122100	N11122100	E11122100	SCD100033	SCD100078

NEW

NEW


EXCELLENS TS PIPE OUTLET END SOCKET

MADE IN ITALY



TECHNICAL FEATURES

- RIGID SHOCKPROOF, UVA-PROOF AND RECYCLABLE PVC
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- HEAT-SHRINK PACKAGING WITH BAR CODE
- PRE-CUT FOR PIPE NECK
- GALVANISED SCREWS



- TOP LINE: IVORY RAL 9002
- NEW LINE: WHITE RAL 9010
- ECO LINE: PEARL GREY RAL 9003
- BROWN LINE: BROWN RAL 8017
- BLACK LINE: BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
TS 60 - EXC	5 PC.	66	56	75	30	60	11124060	N11124060	E11124060	-	-
TS 72 - EXC	5 PC.	78	68	90	35	67	11124072	N11124072	E11124072	SCD100035	SCD100080
TS 100 - EXC	3 PC.	104	78	110	35	67	11124100	N11124100	E11124100	SCD100036	SCD100081

NEW

NEW

EXCELLENS DT "T" JOINT


 **MADE IN ITALY**

TECHNICAL FEATURES

- RIGID SHOCKPROOF PVC, ANTI GRAPE AND RECYCLABLE
- BASE AND INTERLOCKING COVER
- TRUNKING SUPPORT STOP
- WIDE INTERNAL CURVATURE RADIUS
- SEPARATE REDUCTIONS SUPPLIED (FOR MOD. DT60 AND DT72)
- HEAT-SHRINK PACKAGING WITH BAR CODE
- GALVANISED SCREWS

CHARACTERISTICS

- DT 60 CONSISTING OF: N° 1 "T" 72 E N° 2 REDUCTIONS RC 72/60-EXC
- DT 72 CONSISTING OF: N° 1 "T" 100 E N° 3 REDUCTIONS RC 100/72-EXC
- DT 100 CONSISTING OF: N° 1 "T" 100 WITHOUT REDUCTIONS (SEE P.19)



- TOP LINE**  IVORY RAL 9002
- NEW LINE**  WHITE RAL 9010
- ECO LINE**  PEARL GREY RAL 9003
- BROWN LINE**  BROWN RAL 8017
- BLACK LINE**  BLACK RAL 9005



MODEL	MIN. Q.	DIMENSIONS (mm)					TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE
		A	B	C	D	E	CODE	CODE	CODE	CODE	CODE
DT 60 - EXC	3 PC.	66	56	166	125	38	11123060	N11123060	E11123060	-	-
DT 72 - EXC	3 PC.	78	68	200	150	40	11123072	N11123072	E11123072	SCD100041	SCD100086
DT 100 - EXC	3 PC.	104	77	200	150	-	11123100	N11123100	E11123100	SCD100042	SCD100087

NEW

NEW