
HOT WATER PRODUCTION AND STORAGE TANKS GEISER INERTIA - **STORAGE**







PRODUCT TECHNICAL SPECIFICATION GEISER INERTIA – **G801F**

FCP_047_03_EN-01







DESCRIPTION:

Carbon steel **BUFFER TANK**, for closed heating and cooling circuits.

For **WALL MOUNTED INSTALLATION**, in **VERTICAL** or **HORIZONTAL** position. Tank includes mould-injected **rigid PU thermal insulation** and external PVC lining with zip closure. Equipped with wall mounting brackets. Tank also includes one side threaded connection for an optional electrical heating element.

M	IAIN CHARACTERISTICS		
Total capacity:	Total	80	L
Maximum working pressure:		6	bar
Maximum working temperature:		110	°C
Connections:	e: drain connection	1	" M
	eh: side connection	1 1/4	" F
	p: upper connection	1 ½	" F
	tm: sensor connections	1/2	" F
	R: side connection for electric element	2	" F
Energy efficiency:	ErP Class	В	
	Static heat losses acc. to EN12897	45	W
External dimensions:	D: Diameter	480	mm
	H: Height (without connections)	750	mm
	Diagonal (without connections)	890	mm
Packaging dimensions:	Width / Height	500 / 970	mm
Weight:	Without packaging / With packaging	20 / 25	kg

